

# T. 3, R. 2 W. 1<sup>st</sup> Mer.

157	157	157	157	157	157
163 6 186 188	187 5 186 188	172 4 188 190	189 3 188 189	174 2 190 191	191 1 191 191
164 7 170	187 8 171	171 9 172	189 10 173	174 11 174	190 12 175
164 18 170	185 17 186	169 16 183	184 15 183	173 14 182	181 13 182
185 19 170	185 20 186	183 21 184	183 22 184	182 23 182	182 24 182
165 30 176	176 29 177	166 28 177	178 27 178	167 26 180	179 25 181
165 31 159	176 32 159	166 33 160	178 34 160	166 35 160	179 36 161

# T. 4, R. 2 W. 1<sup>st</sup> Mer.

234	237	237	236	235	235
6 232	233 5 232	231 4 230	230 3 229	229 2 228	228 1 227
7 225	226 8 225	224 9 224	224 10 223	224 11 222	224 12 221
18 219	219 17 218	218 16 217	217 15 216	216 14 215	215 13 214
19 212	213 20 212	211 21 210	210 22 209	209 23 208	208 24 208
30 205	206 29 205	204 28 204	204 27 203	204 26 202	204 25 201
31 198	199 32 198	197 33 197	196 34 195	195 35 194	194 36 193

S. 3. R. 2. W. 1<sup>st</sup> Mer.

157

Township No. 3 Range No. 2. West 1<sup>st</sup> Mer.  
Indiana

North Boundary of S. 3. R. 2. W. of Mer.

1<sup>st</sup> Mile West from the North East corner

- 10.75 a Water course 15 lbs. wide bears N. no water  
28.15 a Hackberry 5 ins. dia  
37.25 a Water course 10 lbs. wide bears S.E. no water  
64.72 a Sugar tree 15 ins. dia  
80.00 a post from which a Blue Ash 14 ins. dia. bears  
S 25° N 25 lbs. dist. & a Black Walnut 14 ins. dia.  
bears N 13° W 14 7/8 lbs. dist. — This mile 1<sup>st</sup> rate  
land fit for cultivation of small grain, Hemp,  
Flax &c. large ridges covered with Ash. Oak,  
Sugar tree Hickory Elm & some Red Locust,  
many vines & Spice Brush.

---

2<sup>nd</sup> Mile West

- 1.75 a Gutter bears S. East, no water  
24.95 an Elm 15 ins. dia. level rich brushy land.  
43.73 a Hickory 22 ins. dia.  
47.00 a Water course 12 lbs. wide bears S. W. no water  
80.00 a post from which a Sugar tree 6 ins. dia. bears  
S 28° W 14 lbs. dist. & a White Oak 15 " " "  
N 37 1/2° E 3 1/2 " " — Land & timber similar  
to the preceding Mile —  
Marked the trees by the plan Nov. 25. 1800.

---

3<sup>rd</sup> Mile West

- 3.00 a Water course 10 lbs. wide bears N 70° W no water  
28.40 an Elm 3 ins. dia.  
80.00 a post from which a Beech 7 ins. dia. bears  
S 4° W 13 lbs. dist. & a Gum 9 ins. dia. bears N 7 1/2° W  
27 1/2 lbs. dist. This mile 2<sup>nd</sup> rate land, all ridges  
& gutters & covered with Spice and briars. timber  
as the preceding Mile —

## S. 3. R. 2. T. 1. N. 1. 1/2. Sec.

4<sup>th</sup> Mile West.

- 0.60 a Gum 10 ins. dia  
 27.00 a Water course 15 lbs. wide bears N. no water  
 30.00 a post from which a Sugar tree 6 ins. dia. bears  
 S 6 E 2 lbs. dist. & another 9 ins. dia. bears N 2 W  
 27 lbs. dist. This mile all ridges & deep gutters  
 land 3<sup>d</sup> rate. timber Oak. Hickory, some Beech.  
 Sugar tree, Poplar & Locust. & much underbrush  
 Spice and Priers

5<sup>th</sup> Mile West

- 2.00 a Water course 40 lbs. wide but little water, bears  
 N. West, stony channel  
 7.38 a White Oak 20 ins. dia  
 37.50 a Water course 10 lbs. wide bears N. W. no water  
 42.50 a Do Do 15 " " " Do " "  
 47.75 a Do Do 10 " " " N.E. " "  
 60.73 a Gum 5 ins. dia  
 74.50 a Water course 12 lbs. wide bears N. W. no water  
 80.00 a post from which a Gum 7 ins. dia. bears  
 S 10 W 8 1/2 lbs. distant. & an Ironwood 4 ins. dia. bears  
 N 7 E 25 lbs. dist. This uniformly as the  
 preceding mile steep hills, & deep gutters—  
 Similar—Oak. Oak. Hickory Elm, Beech, Sugar tree,  
 & much underbrush generally Spice

6<sup>th</sup> Mile West.

- 12.00 a Water course 25 lbs. wide, bears N. W. no water  
 13.72 a Hickory 10 ins. dia  
 20.75 South fork of Loughery 200 lbs. wide, very  
 little water, bears N 25 E  
 45.54 a Black Oak 8 ins. dia  
 50.36 a Poplar 10 ins. dia  
 74.50 a Water course 8 lbs. wide bears N.E. no water  
 81.93 Intersect the line, ran S 10 E from the corner

# T. 3. R. 2. W. 1<sup>st</sup> Mer.

of Towns 4 & 5. Range 2 West, & 5 & 6 Range 3  
 7 chains North of the measure, this variation was  
 evidently made on the East side of the Township  
 Here fixed a post from which a Beech 12 ins.  
 dia. bears N 89 E 25 lbs. dist. & another 14 "  
 " " S 79 W 35 " " — This mile the  
 same as the preceding — Marked the trees by the  
 plan.

## South Boundary of T. 3. R. 2. W. of Mer. 1<sup>st</sup> Mile East from the South West corner

- 4.50 a Stream 12 lbs. wide bears N.E. little water
- 10.19 a Do 10 " " " North
- 17.31 an Aspen 16 ins. dia.
- 27.76 a Stream 10 lbs. wide bears North
- 54.78 a White Oak 40 ins. dia. — level land.
- 61.00 a pond on N. side of the line
- 64.00 a White Oak 36 ins. dia.
- 80.00 an Ironwood 4 ins. dia. marked with one  
 notch on East side. This mile for the last  $\frac{3}{4}$   
 very level land 3<sup>d</sup> rate, prime meadow & pasture  
 ground, but too wet for farming. Timber — Oak,  
 Oak, Poplar, Maple, Gum, Hickory, Beech &  
 covered with saplings & green briars

## 2<sup>nd</sup> Mile East.

- 5.85 a White Oak 30 ins. dia. level land
- 12.00 a Stream 7 lbs. wide
- 32.73 a Stream 15 lbs. wide bears N. but little water
- 39.25 a White Oak 12 ins. dia.
- 55.00 a Stream 25 lbs. wide bears N.W. but little water
- 61.93 a Black Oak 19 ins. dia. 2<sup>d</sup> rate land.
- 78.00 a Stream 5 lbs. wide bears S.W. but little water
- 80.00 a post, corner of Sect. No. 32 & 33. Town 3. Range 2.  
 from which a White Oak 24 ins. dia. bears N 3 W  
 29 lbs. & a Black Oak 18 ins. dia. bears S 18  $\frac{1}{2}$  W



## J. S. R. D. W. 1<sup>st</sup> Mile.

78 hrs. dist. This mile good 3<sup>rd</sup> rate land, many moderate ridges, timber - Ash, Oak, Gum, Hickory, Elm, Beech, Walnut much saplings, Spice & Prinos  
 & Marked the trees by the plan.

### 3<sup>rd</sup> Mile East

- 43.24 A gutter 5 hrs. wide bears N. E. - but little water  
 44.26 a do bears N. no water  
 52.50 a White Oak 28 ins. dia  
 54.00 a gutter bears N. W. - no water  
 73.2 A White Oak 24 ins. dia  
 80.00 a Beech 5 ins. dia. corner between Sec. 33 & 34  
 Town 3. marked with 3 notches on 2 sides E. & W.  
 (This mile 3<sup>rd</sup> rate, level wet clay soil, Timber Ash, Oak, Beech, Maple, Hickory Gum, some Sugar trees, much saplings & Green Prinos

### 4<sup>th</sup> Mile East

- 1.21 a gutter bears N. has a little water  
 5.60 a Hickory 17 ins. dia  
 23.86 a White Oak 36 ins. dia. level brushy woods  
 24.20 a gutter bears South but little water  
 46.79 a Hickory 30 ins. dia  
 80.00 A fork between Sec. 34 & 35 Town 3 Range 2  
 from which a White Oak 12 ins. dia. bears N. 6 W.  
 36 hrs. dist. & a White Oak bears N. 6 E. 20 hrs. dist.  
 This mile very level wet land, 3<sup>rd</sup> rate, Timbered  
 as the preceding - Hickory White Oak, Beech,  
 Gum & Sassafras saplings - some Spice & Prinos  
 & Marked the trees by the plan

### 5<sup>th</sup> Mile East

- 5.11 a Black Oak 30 ins. dia  
 16.54 a Hickory 20 " "  
 21.00 a gutter meandering on the line  
 29.50 the gutter bears South of the line & near it

# T. 3. R. 2. W. 1<sup>st</sup> Mer.

161

- 44.42 To a Black Oak 12 ins. dia  
 57.24 a deep gutter bears S. no water  
 78.00 a small water course runs across on the line to the post-  
 80.00 a post on South of a gutter corner of Sec. No. 25 & 36  
 T. 3. R. 2. W. from which a Maple 7 ins. dia. bears  
 N 7 W 59 lbs. dist. & a forked Sugar tree 10 ins. dia. bears  
 S 3 E 31 lbs. dist. - This mile 3<sup>rd</sup> rate land fit for the  
 production of small grain (large ridges & some deep  
 gutters) timber Oak, Aspen, Hickory, Beech, Gum,  
 much covered with saplings & green briars

## 6<sup>th</sup> Mile East

- 9.60 a White Oak 10 ins. dia. on S. side of a hill  
 15.67 a branch of Grants creek 25 lbs. wide, N. E. little water  
 25.58 a White Oak 30 ins. dia. on a hill  
 30.00 Top of a high steep hill descending to  
 33.68 a branch of Grants creek 25 lbs. wide bears North  
 a rapid stream  
 39.00 Top of a steep hill rising from the creek  
 45.61 a White Oak 24 ins. dia. on a ridge  
 65.00 Descending to the East (from land.)  
 77.31 Intersects the line run South from corner of Town  
 No. 3 & 4 Range 1. 1.13 lbs. S. of the measure on  
 said line. here fixed a post corner of Sec. No. 1. Town  
 2 & corner of Sec. No. 36 Town 3. Range 2. from which  
 a Beech 5 ins. dia. bears N 45 W 9 lbs. dist. & a Beech  
 4 ins. dia. bears N 32 E 6 lbs. dist. This mile much  
 broken, all ridges & deep gutters, 3<sup>rd</sup> rate land, Timber  
 & underbrush the same as the preceding mile  
 Marked the trees by the plan

## East Boundary of T. 3. R. 2. W. of Mer.

- 1<sup>st</sup> Mile South from the North East corner  
 25.76 a Hickory 18 ins. dia. much Spice & Briars  
 66.75 a White Oak 10 ins. dia. ridges & much underbrush  
 Spice wood & Briars

compd

No. 4.

S. I. R. I. M. 1<sup>st</sup> Mer.

- 80.00 a post corner of Sec. No. 6 & 7. Town 3 Range 1. from which a Sugar tree 6 ins. dia. bears N 27 W 7 lks. dist. & an Elm 10 ins. dia. bears S 21 E 27 lks. This mile 2<sup>nd</sup> rate land very bully. Timber Ash, Oak, Hickory, Sugar tree &c. under brush Spice Briers &c.

2<sup>nd</sup> Mile South

- 21.80 a White Oak 16 ins. dia. the land & timber the same as the preceding 0 mile  
 44.00 a creek 100 lks. wide runs East clear rapid water sufficient for an under-shot mill  
 53.92 a Walnut 15 ins. dia. bears  
 80.00 a Dogwood 2 " " corner of Sec. No. 7 & 18 from which a Sugar tree 12 ins. dia. bears N 36 E 8 lks. & another Sugar tree 6 ins. dia. bears S 41 W 42 lks. This mile 1<sup>st</sup> rate land, remarkably bully. timber Oak, Ash, Elm, Sugar tree, Hickory &c. underbrush Spicewood & abundance of Briers - Marked the trees agreeably to the plan

3<sup>rd</sup> Mile South

- 18.35 an Ash 32 ins. dia.  
 49.23 an Ash 6 ins. dia. the land as the preceding mile  
 78.65 a Hickory 18 ins. dia.  
 80.00 a post corner of Sec. (No. 18 & 19. From which a Sugar tree 10 ins. dia. bears N 12 E 15 lks. dist. & another Do Do 6 " " " N 71.15 W 10 lks. dist. This mile like the preceding soil, timber & underbrush

4<sup>th</sup> Mile South

- 28.11 a Hickory 30 ins. dia. on a ridge  
 58.72 an Ash 36 ins. dia. on a ridge large scattered timber  
 80.00 a post corner of Sec. No. 19 & 30. Town 3. from which a Beech 28 ins. dia. bears N 52 E 36 lks. dist. & an Elm 14 ins. dia. bears S 38.30 W 22 lks. dist.

# S. 3. R. 2. W. 1. Mer.

This mile 1<sup>st</sup> rate all ridges & gutters. Timber Oak, Sugar tree, Hickory, Elm, Beech &c. much Spruce & Pines. Marked the trees by the plan

## 5<sup>th</sup> Mile South

- 20.72 a White Oak 8 ins. dia  
 42.50 a Small Stream runs East  
 57.4 a White Oak 9 ins. dia. on top of a ridge  
 80.00 a post corner of Sec. P. No. 30 & 31. from which  
 a Sugar tree 18 ins. dia. bears N 74 E 6 lbs. dist.  
 & an Ironwood 4 ins. dia. bears N 89 W 9 " "  
 This mile 2<sup>nd</sup> rate land, ridges & gutters, small  
 timber & exceedingly brushy

## 6<sup>th</sup> Mile South

6. 5 Grants' creek 50 lbs. wide runs E - rapid water  
 a large steep hill on the South side  
 29.53 a White Oak 26 ins. dia. Land 3<sup>rd</sup> rate, small  
 scrubby timber from the creek  
 67.93 a Hickory 12 ins. dia. on W. side of a steep hill  
 69.56 a small creek, fine clear water rapid above  
 & below the line, runs N 3 E  
 80.00 a post, corner of Towns 2 & 3 Range 1. from  
 which a Sugar tree 7 ins. dia. bears N 75.30 E 16  
 links dist. & an Oak 12 " " " N 67.30 W  
 21 1/2 lbs. distant, (this post on the N. side of  
 a large hill) This Mile 3<sup>rd</sup> rate land, ridges &  
 gutters good timber, Oak generally, some Ash,  
 Sugar tree, Hickory & little under-brush.  
 Marked the trees by the plan

## West Boundary of S. 3. R. 2. W. of Mer.

- 1<sup>st</sup> Mile South from the North West corner  
 28.84 a Beech 24 ins. dia  
 71.00 a deep water course 100 lbs. wide no water, bears S. E.  
 76.13 a White Oak 16 ins. dia. on the East point



# *G. I. R. I. M. 1<sup>st</sup> Mo.*

80.00 of a high ridge  
 a post, from which a Walnut 5 ins. dia. bears  
 S 29° E 43 lbs. dist. & a Hickory 9 ins. dia. bears  
 N 43° W 25 lbs. dist. This mile exceedingly  
 broken high ridges & deep gutters, Land 3<sup>rd</sup> rate  
 Timber, Ash, Oak, Beech, Poplar & Elm, Sugar  
 tree, Hickory & much underbrush generally  
 Spice & briars Nov. 22<sup>nd</sup> 1860

## *2<sup>nd</sup> Mile South*

3.25 a Water course 20 lbs. wide, no water, bears N. E.  
 4.90 a Black Walnut 7 ins. dia  
 15.00 a White Oak 24 " "  
 40.00 a Water course 10 lbs. wide bears N. E. no water  
 61.50 a Do. 18 " " " N. E. " "  
 65.00 a Do. 10 " " " N. E. " "  
 80.00 a post from which a Black Walnut 24 ins. dia  
 bears S 75° E 21 lbs. dist. & a Sugar tree 6 ins. dia.  
 bears N 60° W 12 lbs. dist. This mile all ridges  
 & deep gutters 3<sup>rd</sup> rate land, timber Oak & Hickory  
 Marked the trees by the plan

## *3<sup>rd</sup> Mile South*

20.00 a Water course 50 lbs. wide, bears N. E. but little water  
 39.00 The South fork of Loughery 400 lbs. to South  
 side bears N. E. little water, gentle current  
 52.60 an Oak 12 ins. dia  
 60.00 a Sugar tree 9 ins. dia. on the W. side of a ridge  
 80.00 a post from which a Black Oak 16 ins. dia  
 bears N 74° W 20 lbs. dist. & a Hickory 7 ins. dia  
 bears S 87° E 25 lbs. dist. This mile uncommon  
 - mostly rough & broken with ridges & deep gut  
 ters, timber as the preceding - Land 3<sup>rd</sup> rate.

## *4<sup>th</sup> Mile South*

10.14 a Blue ash 12 ins. dia



- 34.53 a White Oak 30 ins. dia  
 37.00 a Water course 10 fms. wide, no water, bears South  
 65.48 a W. Oak 18 ins. dia. much green briars & brush  
 80.00 a post from which a Black Oak 14 ins. dia  
 bears N  $33\frac{1}{4}$  E 8 fms. dist. & a Black Walnut  
 7 ins. dia. bears S  $50$  W 13 fms. dist. This mile  
 exceedingly broken, soil & timber like the  
 preceding mile

5<sup>th</sup> Mile South

- 1.75 a Water course 10 fms. wide, no water, bears W.  
 5.56 a Black Walnut 13 ins. dia.  
 17.50 a Water course 80 fms. wide, runs S. W., little water  
 35.81 a Double White Oak 48 ins. dia  
 50.00 a post from which a White Oak 10 ins. dia  
 bears N  $79$  E 18 fms. dist. & a Hickory 6 ins. dia  
 bears West 17 fms. dist. This mile from the  
 post to the creek the same as the preceding,  
 from thence White Oak land, pretty level and  
 much covered with green briars

6<sup>th</sup> Mile South

- 29.72 a Black Oak 28 ins. dia  
 43.45 a White Oak 28 " "  
 66.60 a Do Do 38 " "  
 73.47 a Do Do 24 " "  
 80.00 a post corner of Townships No. 2 & 3 R. 2  
 & 3 & 4 Range 3 West in a Water course  
 7 fms. wide meandering South, no water, from  
 which a White Oak 28 ins. dia. bears S  $65$  W  
 48 fms. dist. & a Swamp White Oak 8 ins. dia  
 bears N  $45$  E  $12\frac{1}{2}$  fms. dist. — This mile  
 flat White Oak land, 3<sup>rd</sup> rate. Timbered with  
 some Poplar & Maple intermixed  
 Marked the trees by the plan

J. 3. R. 2. W. 1<sup>st</sup> Mer.~~Subdivisions of 2 Mile Block~~

North Between Sec. No. 32 &amp; 33.

- 18.24 a Gum 26 ins. dia. level wet land.  
 53.96 a White Gum 24 ins. dia. level land  
 61.81 a Black Oak 28 ins. dia, wet level land  
 77.65 a White Oak 30 ins. dia. many sink holes  
 80.00 a post corner of Sec. No. 28. 29. 32 & 33, from  
 which a Black Oak 14 ins. dia. bears N <sup>45</sup> E  
 23 lbs. dist. & a White Oak 26 ins. dia. bears  
 S <sup>35</sup> E W 39 lbs. dist. This mile 3<sup>d</sup> rate land, very  
 level, & generally well timbered with ash, Oak,  
 Gum, Asher, Poplar, Maple Hickory &c.  
 abundance of green briars

North Between Sec. No. 28 &amp; 29

- 8.65 a forked White Oak 60 ins. dia  
 28.6 a stream 8 lbs. wide bears E. but little water  
 30.27 a White Oak 18 ins. dia  
 40.53 a Do Do 30 " "  
 49.90 a gutter bears East-  
 57.4 a stream 60 lbs. wide, bears N <sup>25</sup> W, rapid current  
 65.18 a Do 40 " " " West, rapid current  
 71.19 a Black Oak 28 ins. dia. on a ridge  
 80.00 a post. This mile much broken with ridges  
 & gutters, 3<sup>d</sup> rate land, timbered as the preceding,  
 has some Spice & many green briars  
 Feb. 9<sup>th</sup> 1801.

North Between Sec. No. 34 &amp; 35

- 23.37 a White 30 ins. dia  
 30.25 a stream 6 lbs. wide, bears East  
 39.00 a gutter bears East, but little water  
 57.00 a branch of Grants creek 25 lbs. wide bears N. E  
 little water  
 72.00 the point of a ridge between 2 water courses that  
 bear N. E. have but little water

G. S. R. D. W. 1<sup>st</sup> Mer.

80.00 a post corner of Sect. No. 26, 27, 34 & 35 from which a White Oak 6 ins. dia. bears S 7 W 30 lbs. & a cherry 10 ins. dia. bears N 2 E 16 lbs. dist. This mile much broken all ridges & deep gutters, timber, Oak, Poplar, Beech, Sugar tree, Hickory, Gum &c. 3<sup>rd</sup> rate land covered with saplings & brush, Spice, Pines &c

## North Between Sect. No. 26 &amp; 27

7.65 a White Oak 20 ins. dia. on S. side of a hill  
 17.97 a Hickory 26 ins. dia.  
 30.45 a stream 6 lbs. wide bears East. but little water  
 38.80 a stream 8 " " " East  
 44.23 a water course bears S.E. no water  
 44.80 a stream 6 lbs. wide bears S.E. but little water  
 70.14 a Black Oak 30 ins. dia.  
 77.20 a gutter bears East, but little water  
 80.00 a post. This mile much broken all ridges and deep gutters 3<sup>rd</sup> rate land, clay soil, timber & underbrush the same as the preceding

## West Between Sect. No. 24 &amp; 25

18.23 a White Oak 26 ins. dia.  
 34.31 a stream 6 lbs. wide bears S. but little water  
 39.56 a White Oak 28 ins. dia. on a ridge  
 45.00 a stream 6 lbs. wide bears South  
 80.00 a post corner of Sect. No. 23, 24, 25 & 26. From 3 Range 2. from which a Hickory 9 ins. dia. bears S 7 E 31 lbs. dist. & a Hickory 12 ins. dia. bears N 48 W 8 lbs. dist. This mile all ridges & gutters 3<sup>rd</sup> rate land, timber Oak, Hickory, Beech, Sugar tree &c. & exceedingly covered with Spice & Pines

## West Between Sect. No. 23 &amp; 26. G. S. R. D. W. of Mer

18.79 a Yellow Locust 15 ins. dia

# S. J. R. D. W. 1<sup>st</sup> Mer.

- 27.75 a gutter bears S. W. no water  
 29.46 a White Oak 11 ins. dia  
 74.18 a Hickory 9 ins. dia  
 78.88 intersected the line run North from corner of  
 Sec. No. 34 & 35. Town 3 Range 2. — 4.03 Mts.  
 South of the measure on said line. Here fixed  
 a post corner of Sec. No. 22, 23, 26 & 27, from  
 which a Hickory 7 ins. dia. bears N 79° W 40 Mts. dist.  
 & a Gum 8 ins. dia. bears N 76½° E 55 Mts. dist.  
 This mile good 3<sup>rd</sup> rate land, timbered as the  
 preceding much covered with Saplings, Spice  
 & Green Briers — Marked trees by the plan.

- West Between Sec. No. 22 & 27.  
 3.50 a gutter bears N 70° E  
 11.57 a White Oak 26 ins. dia  
 26.44 a Do Do 24 " "  
 33.68 a Gum 10 ins. dia. — Brushy land.  
 52.94 a White Oak 18 ins. dia  
 63.1 a Black Oak 24 " "  
 80.00 a post corner of Sec. No. 21, 22, 27 & 28  
 Town 3. from which a White Oak 20 ins. dia  
 bears N 42½° W 15 Mts. dist. & a Black Oak 36 ins.  
 dia. bears S 54° E 20 Mts. dist. This mile level land  
 & fit for the production of small grain, timber  
 Oak, Aspen, Poplar, Gum, Maple, Hickory, Buck,  
 & Saplings as the above timber & green briers.

- West Between Sec. No. 21 & 28  
 8.25 a stream 6 Mts. wide bears South  
 30.33 a Do 15 " " " " " little water  
 38.39 a gutter bears South no water  
 44.88 a Black Oak 18 ins. dia  
 71.00 a gutter bears South no water  
 79.38 intersected the line run North, from corner  
 of Sec. No. 32 & 33. Town 3 Range 2, 6.00 miles

# D. S. R. I. W. 1<sup>st</sup> Mes.

169

South of the Measure from said corner, Moore fixed a post corner of Sec. No. 20, 21, 28 & 29. from which a cherry 9 ins. dia. bears N 76° W 27½ lbs. dist. & a White Oak 10 ins. dia. bears S 82° E. 33 lbs. distant. This mile moderate ridges & rate land, timbered as the preceding covered with Spice & Green briars —

Marked the trees by the plan

## North Between Sec. No. 20 & 21

- 13.27 a White Oak 36 ins. dia. at the head of a gutter that bears North
- 17.26 a gutter bears W. 12 lbs. wide no water
- 26.67 a White Oak 28 ins. dia. on a ridge (many saplings)
- 31.58 a Gutter bears West, no water
- 38.27 a White Oak 24 ins. dia
- 50.67 a gutter bears West no water
- 55.6 a Black Oak 12 ins. dia
- 67.56 a White Oak 44 " "
- 80.00 a post corner of Sec. No. 16, 17, 20 & 21. from which a Gum 12 ins. dia. bears S 88° W 34 lbs. dist. & a Sugar tree 13 ins. dia. bears N 22° E 50 lbs. dist. This mile much broken & rate land, ridges and gutters. Timber Oak, Ash, Gum, Hickory Maple &c much covered with saplings green briars &c

## North Between Sec. No. 16 & 17

- 7.00 a Stream 15 lbs. wide, bears W. rapid current
- 37.73 a Black Oak 18 ins. dia. } The land covered with
- 41.32 a White Oak 28 " " } saplings
- 74.50 a Stream 10 lbs. wide, bears W. a small gentle current
- 80.00 a post, this mile & rate land, much broken with ridges & deep gutters, Timber & underbrush the same as the preceding — Feb. 11<sup>th</sup> 1801

## West Between Sec. No. 20 & 29



T. 3 R. 2 E. 1<sup>st</sup> Mer.

- 14.50 a branch of Loughery 150 lbs. wide bears North  
a rapid current
- 21.26 a White Oak 36 ins. dia
- 48.00 a gutter bears N. East
- 80.00 a post corner of Sec. No. 19. 20. 29 & 30., from  
which a Maple 10 ins. dia. bears S 30 E 33 lbs. dist.  
& a Maple 12 ins. dia. bears N 17 W 45 lbs. dist.  
This mile 3<sup>rd</sup> rate land. moderate ridges with some  
gutters, proper soil for the production of small grain  
&c — Timber Oak, Hickory, Sassafras, Dogwood &  
Saplings.

## West Between Sec. No. 19 &amp; 30

- 9.55 a gutter bears North, no water
- 12.25 a White Oak 26 ins. dia. level land
- 57.30 a gutter bears North no water
- 63.17 a White Oak 26 ins. dia. on a ridge
- 79.3 Intersected the line run South from corner of Towns  
3 & 4 Range 2 & corner of Towns 4 & 5 Range 3,  
4.36 lbs. South of the 4 mile post on said line.  
The reason of this difference is obvious, the posts  
on the East of the Town, being South of the line  
run East from corner of Towns 2 & 3. Range 2,  
(from which this line was brought) — Here fixed  
a post corner of Sec. No. 19 & 30 — from which a  
Black Oak 15 ins. dia. bears N 78 E 31 lbs. dist. &  
a Sugar tree 10 " " " S 86 W 27 " "  
This mile 3<sup>rd</sup> rate land, moderate ridges, timber &c  
underbrush the same as the preceding  
Marked the trees by the plan

## East Between Sec. No. 7 &amp; 18

- 15.50 a White Oak 15 ins. dia.
- 25.50 a Stream 100 lbs. wide. bears N. a rapid current
- 32.64 a White Oak 16 ins. dia. on the top of a tremendous  
ridge rising from the creek

D. S. R. L. Co. 1<sup>st</sup> Meas.

- 47.00 South Branch of Loughery creek 300 lbs. wide bears North & rapid
- 61.63 a Water course 60 lbs. wide bears N 25 W. no water
- 68.42 same stream bears West (has a little water here)
- 80.00 a spot on west bank of a dry gutter, corner of Sec. No. 7, 8, 17 & 18, from which a Buckeye 16 ins. dia bears N 16 E 65 lbs. & a Sugar tree 7 ins. dia. bears S 1 W 8 lbs. dist. This mile 3<sup>rd</sup> rate land. exceedingly broken, tremendous hills (or rather mountains) with deep gutters between, timber generally, Oak, Hickory, Sycamore & Spice & green briars

## East Between Sec. No. 8 &amp; 17

- 3.50 a stream, the same as the above, bears N. W
- 12.25 same stream bears South
- 19.32 a Hickory 24 ins. dia. on N. side of a hill
- 28.92 a gutter bears N. W. no water
- 36.10 a Gum 18 ins. dia. on a ridge
- 50.67 a gutter bears N. W. no water
- 63.65 a stream 10 lbs. wide, bears N. W.
- 87.89 Intersected the line run North from corner of Sec. No. 20, 21, 28 & 29, - 3.26 lbs. North of the measure here fixed a spot corner of Sec. No. 8, 9, 16 & 17, from which a White Oak 7 ins. dia. bears N 70 E 2 lbs. dist. & a White Oak 9 " " " S 78 W 57 lbs. dist. This mile exceedingly broken soil. timber & underbrush the same as the preceding. Marked & numbered the trees by the plan

## North Between Sec. No. 8 &amp; 9

- 22.71 a gutter bears West. thence N. 50 lbs. dist.
- 38.78 a Sugar tree 7 ins. dia
- 43.00 The gutter above has meandered on this line this far, it bears off E - no water
- 61.50 a Hickory on a ridge 15 ins. dia
- 80.00 a spot corner of Sec. No. 4, 5, 8 & 9 - from

S. 3. R. 2. W. 1<sup>st</sup> Mer

which a White Oak 8 ins. dia. bears S 40 W 13 lbs. dist.  
 & a Black Oak 16 ins. dia. bears East 27 lbs. dist.  
 This mile 3<sup>rd</sup> rate land, much broken all ridges &  
 deep gutters. Timber generally Oak, Hickory some  
 Sugar tree Saplings & Briers

## North Between Sec. No. 4 &amp; 5

- 27.50 a Hickory 15 ins. dia. on a ridge  
 35.00 a very deep gutter bears E. no water  
 44.55 a Hickory 18 ins. dia. - much Spice & Briers  
 63.00 a deep gutter bears E. no water  
 65.00 Top of a high hill descending to a creek  
 76.17 a creek 25 lbs. wide bears W. a rapid stream  
 77.50 Intersected the line run W. from corner of Towns  
 3 & 4 Range 1. & corner of Towns 3 & 4. Range 2.  
 - 36 lbs. East of the 4 mile post - fixed a post  
 corner of Sec. No. 4 & 5. Town 3. - from which a  
 Blue Ash 9 ins. dia. bears S 30 W 22 lbs. dist. &  
 a White Hickory 10 ins. dia. bears N 57 E 24 lbs. dist.  
 This mile 3<sup>rd</sup> rate land exceedingly broken with high  
 ridges & deep gutters timbered as the preceding  
 mile, much Spice & some green briars -  
 Marked by the plan. Feb. 14<sup>th</sup> 1801

## East Between Sec. No. 9 &amp; 10

- 13.95 a White Oak 36 ins. dia.  
 44.30 a Hickory 26 " "  
 66.63 a Water course 6 lbs. wide, bears N. W. little water  
 80.00 a post corner of Sec. No. 9. 10. 15 & 16 from which  
 a Sugar tree 11 ins. dia. bears N 19 E 65 lbs. dist.  
 & a Yellow Locust 12 ins. dia. bears S 6 E 49 lbs.  
 This mile moderate ridges good 3<sup>rd</sup> rate land.  
 level enough for farming (the snow 4 ins. deep)  
 therefore not certain of the soil) the Timber  
 generally Oak, Hickory, some Sugar tree, some  
 Saplings & Spice abundance of green briars

East Between Sec. No. 10 & 15

- 3.38 a Black Oak 28 ins. dia  
 25.34 a gutter bears N. no water  
 31.8 a do " N.W. " "  
 43.96 a White Oak 20 ins. dia  
 80.00 a post. This mile the surface, soil, timber  
 & under brush the same as the preceding

North Between Sec. No. 22 & 23

- 1.77 a deep gutter bears East, but little water  
 8.75 a gutter bears S.E.  
 12.00 a White Oak 28 ins. dia  
 45.46 a White Oak 26 ins. dia. level land  
 71.3 a Black Oak 16 " " "  
 80.00 a post corner of Sec. (No. 14, 15, 22 & 23.  
 from which a White Oak 9 ins. dia. bears 169° E  
 14 lbs. dist. & a Dog wood 7 ins. dia. bears 185° W  
 33 lbs. dist. This mile level land good 3<sup>rd</sup> rate,  
 fit for the production of small grain. Timber  
 generally Oak. Hickory. Some Ash, Sugar tree,  
 Gum, Maple, many saplings the same as the  
 above timbers. with dog wood Spice & green Pines

North Between Sec. No. 14 & 15

- 13.3 a White Oak 28 ins. dia  
 41.46 a White Oak 20 ins. dia. on N. of a stream joined  
 50 lbs. S. by one from the West. thence runs E.  
 55.50 a stream 6 lbs. wide bears E. but little water  
 60.90 a gutter bears E. - no water  
 67.30 a Buck 10 ins. dia. on south of a large ridge  
 81.78 Intersected the line run East. from corner of  
 Sec. No. 8, 9, 16 & 17. - 260 lbs. West of the measure  
 here set a post corner of Sec. No. 10, 11, 14 & 15  
 from which a Black Oak 12 ins. dia. bears  
 15° W 3 lbs. dist. & a White Oak 13 ins. dia. bears



# D. J. R. L. W. 1<sup>st</sup> Mer.

N 40: E 38 Mts. dist. — This mile good 3<sup>d</sup> rate land broken with ridges & gutters, Timber & under-brush the same as the preceding — marked the trees by the plan

North Between Sec. Nos. 10 & 11

- 9.89 a Hickory 14 ins. dia. — level land.  
 56.24 a White Oak 36 ins. dia. broken ridges & exceedingly covered with Spice & Briars  
 73.50 a stream 20 Mts. wide bears f. E. but little water  
 80.00 a post corner of Sec. Nos. 2, 3, 10 & 11 from which a Black Oak 14 ins. dia. bears S 72 W 51 Mts. dist  
 a White Oak 20 " " " East 65 Mts. dist  
 This mile much broken good 3<sup>d</sup> rate land, timber Aspen & underbrush Spice & Briars

North Between Sec. Nos. 2 & 3.

- 5.39 a stream 6 Mts. wide bears West  
 32.17 a Sugar tree 7 ins. dia. level & covered with green briars  
 49.31 a White Oak 34 ins. dia. level land covered with Spice & Green briars  
 55.00 a Sugar tree 11 ins. dia.  
 a stream 12 Mts. wide bears W. but little water — (distance omitted)  
 76.96 Intersected the line West from corner of Towns 3 & 4 Range 1. & corner of Towns 3 & 4 Range 2, 2 Mts. East of the 2 mile post corner of Sec. Nos. 2 & 3. Town 3 & 34 & 35 Town 4 Range 2.  
 (This mile 2<sup>d</sup> rate land, timber Oak, Ash, Sugar tree, Hickory, Walnut &c. underbrush Blue Ash, Sassafras, Spice & Briars —  
 Marked by the plan — Feb. 15. 1881.

East Between Sec. Nos. 11 & 14

- 15.44 a White Oak 30 ins. dia.  
 28.00 a do do 24 " "



- 69.00 a branch of Arnold's creek 25 Mts. wide, bears S. E.  
but little water
- 73.39 a Black Oak 16 ins. dia. on south of a large ridge
- 80.00 a post corner of Sec. P. (No. 11. 12. 13 & 14. from  
which a Black Oak 17 ins. dia. bears S 15 E 24  
Mts. dist. & a Honey Locust bears N 17 W 30 Mts. dist  
This mile State land. much broken, large ridges  
& deep gutters. Timber Oak. Ash, Sugar tree,  
& much Spice & green briars

---

East Between Sec. P. No. 12 & 13.

- 11.6 an ash 12 ins. dia. on a ridge
- 33.41 South branch of Arnold's creek 150 Mts. wide  
bears North, a rapid stream the channel  
grown up with willows
- 45.00 Top of a high ridge, rising from the creek.
- 50.21 a Hickory 12 ins. dia. on a large ridge
- 78.56 Intersected the line run south from corner of  
Towns 3 & 4 Range 1. & corner of Towns 3 & 4 Range  
2, 6.50 Mts. North of the measure on said line.  
here established a post between Sec. P. (No. 12 & 13  
Town 3 Range 2. from which a White Oak 20 ins.  
dia. bears N 88 E 10 Mts. dist. & a Blue Ash 5 ins  
dia. bears S 87 W 25 Mts. dist. — This mile all  
ridges very high & steep with deep gutters  
State land. Timber Oak. Oak. Hickory. Locust  
Sugar tree, Elm &c. underbrush Spice & Briars  
The variation at this closing was owing to  
the Chainmen when running south from  
the above. — Marked the trees by the plan.

Surveyed by

Benjamin Chambers

A. D. 1861.

---

S. 3. R. 2. W. 1<sup>st</sup> Mer.

2 mile blocks

Subdivisions of S. 3. R. 2. W. of Mer.

West Random line between Sec. (No. 29 & 32)

40.00 Set temp.  $\frac{1}{4}$  sec. post

80.00 Set temp. centre post. Level 2<sup>nd</sup> rate land. Oak,  
ash, Beech, Hickory - brush, Logwood & briars.

Continued West Between Sec. No. 30 & 31

16.50 a Branch 40 lbs. wide - North

40.00 Set temp.  $\frac{1}{4}$  sec. post in a Brook 40 lbs. - North

83.30 fell 117 lbs. - North of post. very broken land. timber  
ash &c. as the preceding

Corrected line East between Sec. No. 30 & 31 & set  
temp.  $\frac{1}{4}$  sec. post at average distance on true line

Corrected line East Between Sec. No. 29 & 32 & set  
temp.  $\frac{1}{4}$  sec. post at average distance on true line

South Random line between Sec. No. 29 & 30

40.00 Set temp.  $\frac{1}{4}$  sec. post

79.38 Cropped E & W. line - Good 2<sup>nd</sup> rate land. - Oak,  
Hickory &c. with abundance of Brush & h. Briars

Continued South between Sec. (No. 31 & 32)

24.38 a brook 30 lbs. wide courses N. W.

40.00 Set temp.  $\frac{1}{4}$  sec. post

83.11 Fell 380 lbs. West of post corner of Sec. No. 31 & 32  
Moderate ridges, 2<sup>nd</sup> rate land, timber & Brush  
the same as the preceding

North Corrected the line between Sec. No. 31 & 32

Set  $\frac{1}{4}$  sec. post on true line at average distance where  
a Honey Locust 12 ins. dia. bears N 25 W 27 lbs. dist.  
& a Hornbeam 3 ins. dia. bears N 87 E 16 lbs. dist.

Continued North on true line & fell 53 lbs. West of  
the centre post. moved it to centre corner of Sec. (No.  
29. 30. 31 & 32 where a Gum 8 ins. dia. bears N 33 E.

# J. S. R. L. W. 1<sup>st</sup> Mer.

11 lks. dist. 4 a Dogwood 4 ins. dia. bears S 56 W 16 lks. dist. — Marked the trees by the plan

East Thence East Between Sec. No. 29 & 32 & moved  $\frac{1}{4}$  Sec. post to average distance where an Ash 15 ins. dia. bears N 50 E 8 lks. & Maple 5 ins. dia. bears S 32 W 29 lks. dist.

West Thence West, between Sec. No. 30 & 31 & moved  $\frac{1}{4}$  Sec. post to average distance where a R. Oak 16 ins. dia. bears S 33 W 21 lks. & Sugar 8 ins. dia. bears N 4 W 20 lks. dist.

North Thence North on true line from centre post between Sec. No. 29 & 30 — set  $\frac{1}{4}$  Sec. post at average distance from which a Hickory 20 ins. dia. bears West 31 lks. dist. & a Mulberry 10 ins. dia. bears S 27 E 17 lks. dist. Continued North on true line to corner of Sec. (No. 19. 20. 29 & 30 — Thursday June 23<sup>d</sup> 1805

East Random line between Sec. (No. 28 & 33. J. S. R. L. W.  
 40.00 Set the temp.  $\frac{1}{4}$  Sec. post  
 45.67 a creek 40 lks. wide course N. W.  
 62.00 a brook 4 " " " West  
 76.83 a do 4 " " " "  
 80.00 Set the temp. centre post. Level 3<sup>d</sup> rate land — Oak  
 Maple. Hickory, Dogwood, Spice & green briars

East Between Sec. No. 27 & 34. J. S. R. L. W.  
 40.00 Set the temp.  $\frac{1}{4}$  Sec. post  
 45.00 a brook 10 lks. wide course S. E.  
 56.45 a do 8 " " " South  
 84.80 Tell 3 lks. South of post corner of Sec. No. 26. 27.  
 34 & 35 — Land & timber same as the preceding

West Connected line between Sec. (No. 27 & 34 & set temp.  $\frac{1}{4}$  Sec. post on true line at average distance

# J. E. R. J. W. 1<sup>st</sup> Mer.

Corrected line West between Sect. No. 28 & 33. & set  
 $\frac{1}{4}$  sec. post at average distance on true line

South Random line between Sect. No. 27 & 28

25.61 a brook 11 lbs. wide course N. W.

40.00 Set temp.  $\frac{1}{4}$  sec. post

76.00 Crossed E. & W. line - This mile 3<sup>rd</sup> rate land.  
 timber Oak Maple Beech. Gum &c. Dogwood  
 & Green briars

South Continued between Sect. No. 33 & 34

12.60 at Brook 4 lbs. wide course West

25.2 at Co 5 " " " S. W.

40.00 Set temp.  $\frac{1}{4}$  sec. post

68.50 at brook 8 lbs. wide course N. W.

82.70 fell 2 lbs. South of the post corner of Sect. No.  
 33 & 34. Level 3<sup>rd</sup> rate land, Oak. Hickory Beech  
 Maple, Gum, Dogwood, Sassafras, Green briars

North Corrected between Sect. No. 33 & 34

Set  $\frac{1}{4}$  sec. post on true line at average distance  
 where a Hickory 8 ins. dia. bears S 63 E 7 lbs. &  
 a W. Oak 5 ins. dia. bears N 81 W 22 lbs. dist.

Continued North on true line & fell 135 lbs.  
 East of Temporary post - moved it to the centro  
 corner of Sect. No. 27, 28, 33 & 34 where a Dog.  
 6 ins. dia. bears S 89 W 6 lbs. dist. Ya Gum 20  
 ins. dia. bears S 54 E 44 lbs. dist

East Thence East between Sect. No. 27 & 34 & moved  $\frac{1}{4}$   
 sec. post to average distance where a Dogwood  
 5 ins. dia. bears N 78 W 10 lbs. dist & a cherry  
 4 ins. dia. bears S 73 E 7 lbs. dist

West Thence West between Sect. No. 28 & 33 and  
 moved  $\frac{1}{4}$  sec. post to average distance where

a W. Oak 7 ins. dia. bears S 76 W 12 lbs. & a  
W. Oak 36 ins. dia. bears Q 26 E 11 lbs. dist.

North Thence North on true line from centre post  
between Sec. No. 27 & 28. Set the sec. post  
at average distance on true line, where a W. Oak  
20 ins. dia. bears S 59 W 28 lbs. dist & a Gum  
6 " " " East 30 lbs. dist.  
Continued line to corner of Sec. 21. 22. 27 & 28

South Random line between Sec. No. 25 & 26

4.86 a Brook 4 lbs. wide course S.E.  
17.00 a Do " " " " S.E.  
40.00 Set temp. the sec. post  
71.10 a Brook 30 lbs. wide course East  
80.00 Set temp. centre post - This mile exceedingly  
broken, large hills & very high. 3<sup>d</sup> rate land, scrubby  
Oak, Hickory, Ash - Dogwood, Red Bud,  
Sassafras &c.

South Continued South Between Sec. No. 35 & 36

13.60 a Brook 6 lbs. wide course S.E.  
38.70 a Do 8 " " " S.E.  
40.00 Set temp. the sec. post  
53.90 a Brook 10 lbs. wide course East  
78.75 Set 165 lbs. of the post corner to Sec. No. 35 &  
36 - Land & timber same as the preceding  
Thursday June 25<sup>th</sup> 1805 { In old times there were  
two Thursdays in a week.

North Corrected line between Sec. 35 & 36 & set temp. the  
sec. post at average distance on true line  
Corrected North between Sec. No. 25 & 26 & set  
temp. the sec. post at average distance on the  
true line

West Moved to corner of Sec. No. 25 & 36 Random line



S. 3. R. 2. W. 1<sup>st</sup> Mer.

12.50 a brook 30 lbs. wide course N.E.  
 23.40 a Brook 7 " " " N.E.  
 10.00 Set temp.  $\frac{1}{4}$  sec. post.  
 57.75 a Brook 15 lbs. wide, bears N.E.  
 66.50 a Do 8 " " " North  
 79.70 Dropped North & South line - 2 Date Land, Cash. Ash,  
 Walnut, Hickory, Sugar, Beech, Dogwood & Spruce

West Continued West between Sec. No. 26 & 35  
 13.70 a Brook 10 lbs. wide course N.E.  
 10.00 Set temp.  $\frac{1}{4}$  sec. post  
 43.20 a Brook 20 lbs. wide, course N.E.  
 71.75 a Do 5 " " " S.E.  
 80.25 Fell 2.30 lbs. South of the corner of Sec. No. 26. 27.  
 34 & 35 - Land & timber same as the preceding

East Correct line between Sec. No. 25 & 36  
 Set  $\frac{1}{4}$  sec. post at average distance on true line  
 where an Elm 7 ins. dia. bears N 43 W 52 lbs. &  
 an Ironwood 5 " " " S 24 E 17 lbs. dist.  
 Continued East on true line & fell 20 lbs.  
 North of Temporary - moved it to the centre,  
 corner of Sec. No. 25. 26. 35 & 36. where a Gum  
 12 ins. dia. bears N 47 E 33 lbs. & a Hickory 8 ins.  
 dia. bears S 37 W 12 lbs. distant.

North Thence North between Sec. No. 25 & 26 and  
 moved  $\frac{1}{4}$  sec. post to average distance where  
 an Ash 10 ins. dia. bears S 23 W 6 lbs. dist. &  
 a White Oak 9 ins. dia. bears N 21 E 11 lbs. dist.

South Thence South between Sec. No. 35 & 36 &  
 moved  $\frac{1}{4}$  sec. post to average distance, where a  
 White Oak 18 ins. dia. bears S 17 W 11 lbs. dist.  
 & a Hickory 6 " " " N 7 E 33 " "

Continued on true line between Sec. (No. 25 & 36  
& set  $\frac{1}{4}$  sec. post at average distance where  
a White Oak 24 ins. dia. bears S 11 W 31 lbs. &  
a Do Do 12 " " " N 19 W 8 lbs. dist.  
Continued on true line to corner of Sec. (No.  
25 & 36 — Marked by the plan.

South Random between Sec. (No. 13 & 14. J. J. R. I. W.  
4.65 a Brook 13 lbs. wide course East  
5.85 a Do. 18 " " " N.E.  
40.00 set temp.  $\frac{1}{4}$  sec. post  
47.00 a Brook 6 lbs. wide course S.E.  
68.18 a Do. 5 " " " S.E.  
70.90 a Do. 10 " " " S.E.  
71.40 a Do. 8 " " " East  
76.63 a Do 6 " " " N.E.  
80.00 set temp. centre post. very hilly & rate  
land, timber Ash, Oak, Hickory, Beech, Walnut,  
Sugar, Elm & Spruce

South Continued further between Sec. (No. 23 & 24.  
15.64 a Brook 15 lbs. wide bears N.E.  
40.00 set temp.  $\frac{1}{4}$  sec. post  
46.63 a Brook 13 lbs. wide course N.W.  
Same stream cross the line for 12<sup>ch</sup> from S.W.  
86.9 Well 22 lbs. East of post corner of Sec. (No.  
23. 24. 25 & 26. — This mile very broken  
& rate land. timber as the preceding

North Corrected the line between Sec. (No. 23 & 24 &  
set temp.  $\frac{1}{4}$  sec. post at average distance  
on true line  
Continued North between Sec. (No. 13 & 14  
& set temp.  $\frac{1}{4}$  sec. post at average distance  
on true line —

# F. S. J. R. D. W. 1<sup>st</sup> Nov.

West Random line between Sect. No. 13 & 24

6.83 a brook 12 fms. wide crosses south

40.00 Set temp.  $\frac{1}{4}$  sec. post

73.32 a creek 30 fms. - ~~1/4 sec~~

80.62 Crossed N & S line. This mile 1<sup>st</sup> rate land, but very hilly - timber Ash, Oak, Elm, Beech, Walnut Sugar &c. Dogwood Spice &c.

West Continued West between Sect. No. 14 & 23

40.00 Set temp.  $\frac{1}{4}$  sec. post

81.32 Fell 180 fms. south of post corner of Sect. (No. 14, 15,

22 & 23 - Very broken 1<sup>st</sup> rate land. - Timber Ash, Oak, Beech, Maple, Hickory &c. Spice & other brush

East Located between Sect. No. 14 & 23.

Set  $\frac{1}{4}$  sec. post at average distance where a W. Oak 6 ins. dia. bears N 32 E 12 fms. dist. & a Black Oak 12 " " " West 32 " "

Continued East & fell 500 fms. south of the temp. post. moved it the centre corner of Sect. No. 13, 14, 23 & 24 where a Buckeye 13 ins. dia. bears N 71 W 35 fms. dist. & a Hickory 9 ins. dia. bears S 86 E 19 fms. dist.

North Thence North Between Sect. No. 13 & 14 & moved

$\frac{1}{4}$  sec. post to average distance where a W. Oak 12 ins. dia. bears N 53 E 19 fms. dist. & a Spanish Oak 18 ins. dia. bears S 53 W 21 fms. dist.

South Thence South between Sect. No. 23 & 24 & moved

$\frac{1}{4}$  sec. post to average distance where a Mulberry 7 ins. dia. bears N 13 W 13 fms. dist. & a Hickory 12 " " " S 13 E 18 fms. dist.

East Thence East on true line from centre post between

Sect. No. 13 & 24 Set a section post on true line at average distance where a Dogwood 6 ins. dia.

# G. E. R. I. W. 1<sup>st</sup> Mer.

bears S 61 W 20 lbs. dist. - Va Do. 4 ins. dia. bears  
N 26 W 25 lbs. dist.

Continued East to corner of Sect. No. 23 & 24

North Random line between Sect. 21 & 22 G. E. R. I.  
8. b a Brook 6 lbs. wide course S. W.

40.00 Set temp.  $\frac{1}{4}$  sec. post

69.20 a Brook 15 lbs. wide course West

80.00 Set temp. centre post - This mile tolerably  
level, 3<sup>rd</sup> rate land. Timber Oak. Hickory (Maple  
&c - Dogwood & green pines

North Continued North between Sect. No. 15 & 16

10.00 Set temp.  $\frac{1}{4}$  sec. post

45.10 a Brook 5 lbs. wide course West

75.40 a Do. 6 " " " N. E.

79.5 a Do. 10 " " " West

84.68 Tell 2.25 lbs. West of post corners of Sections  
No. 9, 10, 15 & 16.

South Corrected between Sect. No. 15 & 16

Set temp.  $\frac{1}{4}$  sec. post on true line at average distance

Corrected South Between Sect. No. 21 & 22 & Set  $\frac{1}{4}$  sec  
post at average distance on true line

Connected to the corner of Sect. No. 21, 22, 27 & 28

East Random line between Sect. No. 16 & 21

10.80 a Brook 26 lbs. wide course N. W.

20.40 a Do. 8 " " " S. W.

40.00 Set temp. centre post

48.50 a Brook 5 lbs. wide course South

81.21 Cropped N. & S. line - very broken 3<sup>rd</sup> rate land.  
Oak. Ash. Hickory, Dogwood &c.

East Continued between Sect. No. 15 & 22

5.45 a Brook 10 lbs. wide, course South

S. J. R. L. Mt. 1<sup>st</sup> Meers

25.70 a Birch 6 ins. wide course S. E  
 36.20 a Do 6 " " " S. W  
 40.00 Set temp. 1/4 sec. post  
 81.50 fell 100 lbs. South of post. corner of Sec. (No.  
 14. 15. 22 & 23. — This mile moderate ridges, 3<sup>rd</sup> rate  
 land, Timber as before

Tuesday June 28. 1805

West Connected the line between Sec. No. 15 & 22  
 Set 1/4 sec. post on true line at average distance  
 where a Gum 18 ins. dia. bears S 28 W 32 lbs.  
 & a Hickory 7 ins. dia. bears S 74 E 28 lbs. dist.  
 Continued West on true line & fell 118 lbs. N.  
 of the temp. post — moved it to the corner of  
 Sec. No. 15. 16. 21 & 22 where a W. Oak 12 ins.  
 dia. bears N 82 W 18 lbs. dist. & a B. Oak 15 "  
 " " S 74 E 28 lbs. dist.

North Thence North between Sec. (No. 15 & 16 & moved  
 1/4 sec. post to average distance where a Maple 6 ins.  
 dia. bears N 83 W 3 lbs. dist. & a W. Oak 20 ins. dia  
 bears N 62 W 27 lbs. distant.

South Thence South between Sec. No. 21 & 22 & moved  
 1/4 sec. post to average distance where a B. Oak  
 12 ins. dia. bears N 29 W 6 lbs. dist. & a Do.  
 6 " " " N 88 E 2 lbs. dist.

West Thence West on true line between Sec.  
 No. 16 & 21 and set 1/4 sec. post at average  
 distance, where a W. Oak 15 ins. dia. bears  
 N 6 E 16 lbs. dist. & a Do 7 " " "  
 South 20 lbs. dist.  
 Continued West on true line to corner of  
 Sec. No. 16. 17. 20 & 21. —



North Random between Sec. (No. 19 & 20)  
 40.90 Set temp.  $\frac{1}{4}$  sec. post  
 66.57 a Brook 25 lbs. wide course N. East.  
 80.00 Set temporary centre post

North Continued North Between Sec. No. 17 & 18  
 6.50 The Willow branch 200 lbs. wide. bears West  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 85.13 fell 108 lbs. East of post corner of Sections (No. 7, 8, 17 & 18) - This mile extending hilly - Hickory Oak, Sugar &c. Spice, Dogwood & Green briars

South Corrected between Sec. (No. 17 & 18) & set temp.  $\frac{1}{4}$  sec. post at average distance on true line  
 Continued South between Sec. (No. 19 & 20) & set  $\frac{1}{4}$  sec. post on true line at average distance  
 Continued South to corner of Sec. (No. 19, 20, 29 & 30)

West Random between Sec. (No. 17 & 20)  
 29.8 a Brook 10 lbs. wide course West  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 42.60 a Brook 10 lbs. wide, West, between two hills  
 78.50 Willow branch 100 lbs. wide, course N. W.  
 80.93 Cropped N & S line - This mile tremendous hills  
 Pinus-Oak, Oak, Hickory & Sugar, underbrush  
 Dogwood, Spice & abundance of saplings

West Continue between Sec. (No. 18 & 19)  
 15.7 a Brook 7 lbs. wide course N. E.  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 80.90 Fell 133 lbs. South of post corner of Sec. (No. 18 & 19) - Land & timber - same as the preceding  
 Marked by the plan. Saturday June 29. 1805.

East Corrected line between Sec. (No. 18 & 19) and set  $\frac{1}{4}$  sec. post at average distance on true line, where

J. J. R. I. W. 1<sup>st</sup> Mer.

a Dogwood 5 ins. dia. bears S 2 E 14 lbs. distant  
 & a Maple 14 " " " N 63 W 22 lbs. dist.  
 East Continued East on true line & fell 196 lbs.  
 North of Temporary post, moved it to centre,  
 corner of Sec. No. 17, 18, 19 & 20 - where a Sugar  
 16 ins. dia. bears N 41 E 35 lbs. dist. & a Dogwood  
 5 ins. dia. bears West 19 lbs. dist.

South Thence South between Sec. No. 19 & 20 and  
 moved the Sec. post to average distance where  
 a Mulberry 12 ins. dia. bears S 87 E 27 lbs. dist.  
 & a W. Oak 9 ins. dia. bears N 47 W 30 lbs. dist.

North Thence North between Sec. No. 17 & 18 and  
 moved the Sec. post to average distance where a  
 Hickory 18 ins. dia. bears S 31 W 32 lbs. dist. & a  
 Sugar 9 " " " N 83 W 18 " "  
 Continued East on true line from centre post  
 between Sec. No. 17 & 20 & set the Sec. post at  
 average distance where a W. Oak 18 ins. dia. bears  
 N 36 E 7 lbs. dist. & a So. 18 ins. dia. bears S 14 W  
 16 lbs. dist.  
 Continued East on true line to corner of Sec.  
 No. 16, 17, 20 & 21.

West on Random Between Sec. No. 5 & 8  
 40.00 Set temp. 1/4 Sec. post  
 65.3 a Brook 6 lbs. wide bears N. W  
 77.21 a Do 6 " " " N. W  
 80.00 Set temp. centre post. This mile large ridges,  
 Timber Walnut, Oak, Ash, Beech, Sugar, Elm  
 Spice & other underbrush.

West Continued West between Sec. No. 6 & 7  
 5.20 a Brook 6 lbs. wide course N. W.  
 40.00 Set temporary 1/4 section post

55.30 Cropped South branch of Longberry 100 Mts. N.E.  
 13.95 a Brook 10 Mts. wide course N.E.  
 83.86 Fell 3.16 Mts. North of post corner of Sec. No. 6 & 7.  
 (This mile one continuation of ridges & tremendous  
 hills - Timber & brush the same as before,  
 abundance of rocks.

---

East Connected between Sec. No. 6 & 7 & set temporary  
 1/4 sec. post on true line at average distance

---

East Connected between Sec. No. 5 & 8 and set temp.  
 1/4 sec. post at average distance  
 Continued to corner of Sec. No. 4, 5, 8 & 9

---

South On Random between Sec. No. 5 & 6.  
 19.00 a Brook 7 Mts. wide course N.W.  
 40.00 Set temp. 1/4 sec. post  
 54.93 a Brook 7 Mts. wide course N.E.  
 77.20 Cropped E. & W. line - very hilly Oak, Ash, Elm  
 & Walnut - Pinus, Prickly Ash, &c

---

South Continued South between Sec. No. 7 & 8  
 40.00 Set temp. 1/4 sec. post  
 61.77 a Brook 5 Mts. wide, course West  
 83.26 Fell 216 Mts. East of post corner of Sec. No. 7 & 8.  
 17418 - Moderate ridges - Timber and Bush  
 as before Monday July 1<sup>st</sup> 1805

---

North Corrected line between Sec. No. 7 & 8  
 Set 1/4 sec. post at average distance where a White  
 Oak 14 ins. dia. bears N 64 W 11 Mts. dist. & a Sugar  
 18 ins. dia. bears N 26 E 7 Mts. dist.  
 Continued North on true line & fell 54 links  
 East of Temp. post, moved it the centre, where  
 a Honey Locust 20 ins. dia. bears S 33 W 20 1/2 Mts.  
 & a White Oak 14 ins. dia. bears N 49 E 15 Mts. dist.

J. S. R. I. W. 1<sup>st</sup> Mer.

Marked the trees by the plan

East Thence East on true line, between Sect. (No. 5 & 8) and moved the  $\frac{1}{4}$  sec. post to average distance where a Beech 22 ins. dia. bears North 42 lbs. & a Lyrus 12 ins. dia. bears  $\frac{1}{2}$  21 W 34 lbs. dist.

West Thence West between Sect. (No. 6 & 7) & moved  $\frac{1}{4}$  sec. post to average distance where a Red Oak 15 ins. dia. bears N 54 E 26 lbs. dist. & a Lyrus 12 ins. dia. bears S 29 W 10 lbs. dist.

Returned to the centre post & continued North on true line between Sect. (No. 5 & 6)

Set  $\frac{1}{4}$  sec. post at average distance where a White Oak 17 ins. dia. bears N 77 W 38 lbs. dist. & a Hickory 10 " " " S 74 E 39 " "  
Continued North to corner of Sect. (No. 5 & 6)

East On Random line between Sect. (No. 4 & 9).

17.66 a Branch 10 lbs. wide - course N. E

36.00 a Do 15 " " " N. E

46.00 Set temp.  $\frac{1}{4}$  sec. post

57.85 a Brook 6 lbs. wide course N. W

80.00 Set temp. centre post. Pointe land, very large hills, Timber Oak, Ash, Sugar, Elm, Dogwood and Saplings —

East Continued East between Sect. (No. 3 & 10)

29.35 a Brook 10 lbs. wide course N. E.

40.00 Set temp.  $\frac{1}{4}$  sec. post

55.70 a Brook 11 lbs. wide course N. E.

71.70 a creek 20 lbs. wide. course S. E.

82.36 Hill 56 lbs. North of the post corner to Sect. (No. 9, 3, 10 & 11 —

Pointe land, moderate ridges, timber & underbrush — same as before)

West Corrected line between Sec. P. No. 3 & 10 & set temp.  
 1/4 sec. post on true line at average distance  
 West between Sec. P. No. 4 & 9 & set temp. 1/4 sec.  
 post on true line at average distance

South On Random line between Sec. P. No. 3 & 4  
 8.64 a creek 30 lbs. wide course N. W  
 40.00 Set temp. 1/4 sec. post  
 78.58 Crossed E. & W. line - Moderate ridges State land.  
 Timber Beech, Oak, Sugar, Ash &c - Log wood,  
 Ironwood &c.

South Continued South between Sec. P. No. 9 & 10  
 40.00 Set temp. 1/4 sec. post  
 41.66 a Brook 12 lbs. wide course S. W  
 57.68 a Do. 15 " " " N. W  
 81.89 Fell 180 lbs. West of corner of Sec. P. No. 9, 10, 15 & 16  
 The land & timber of this mile same as before  
 Tuesday July 2<sup>d</sup> 1805

North Corrected line between Sec. P. No. 9 & 10  
 Set 1/4 sec. post at average distance on true line  
 where a Spanish Oak 18 ins. dia. bears N 64 W  
 16 lbs. & a Sugar 3 ins. dia. bears S 54 E 14 lbs. dist.

North Continued North & fell 30 lbs. East of temp. post  
 corner of Sec. P. No. 3, 4, 9 & 10 where a Sugar 12 ins  
 dia. bears S 50 W 65 lbs. dist. & an Ash 12 ins. dia  
 bears N 60 E 43 lbs. dist.

East Thence East between Sec. P. No. 3 & 10 & moved 1/4  
 sec. post to average distance where a White Oak  
 20 ins. dia. bears S 19 W 26 lbs. dist. To Hickory  
 12 " " " N 47 E 23 " "



## J. S. R. D. W. J. Mer.

West Thence West between Sec. P. No. 4 & 9 moved  
 $\frac{1}{4}$  sec. post to average distance on true line where  
 a W. Oak 15 ins. dia. bears N  $72^{\circ}$  W 28 lbs. dist.  
 & a Span. Oak 12 ins. dia. bears S  $46^{\circ}$  E 3 lbs. dist

North Thence North from centre post on true line between  
 Sec. No. 3 & 4 & set  $\frac{1}{4}$  sec. post at average distance  
 where a Buck 14 ins. dia. bears N  $74^{\circ}$  W 9 lbs. &  
 & a Do. 5 ins. dia. bears N  $67^{\circ}$  E 19 lbs. dist  
 Continued North to post corner of Sec. P. No. 3 & 4

North On Random line between Sec. P. No. 11 & 12  
 33.63 a Buck 8 lbs. wide course East  
 40.00 set temp.  $\frac{1}{4}$  sec. post.  
 50.00 set temp centre post - This mile moderate hills  
 & some land. timber - Ash. Buck &.

North Continued North Between Sec. P. No. 1 & 2  
 7.50 a Buck 7 lbs. wide course N.E.  
 10.55 a Do 8 " " " East  
 40.00 set temp.  $\frac{1}{4}$  sec. post  
 50.40 Fall 8 lbs. West of post, corner of Sec. P. No. 1 & 2  
 much broken & some land. Oak, Black Locust, Ash,  
 Hickory, Sugar & exceedingly brushy  
 Friday July 3<sup>rd</sup> 1855

South Corrected line between Sec. P. No. 1 & 2 & set temp.  
 $\frac{1}{4}$  sec. post at average distance on true line.  
 Corrected line between Sec. P. No. 11 & 12 & set temp.  
 $\frac{1}{4}$  sec. post at average distance on true line

East On Random between Sec. P. No. 2 & 11  
 40.00 set temp.  $\frac{1}{4}$  sec. post  
 50.00 crossed N. & S. line - This mile level land,  
 (on the top of a ridge) 2<sup>nd</sup> rate. Ash, Oak, Elm  
 Buck. Sugar & Dogwood, I. wood. Small Buck &

East Continued East between Sec. No. 1 & 2  
 27.50 a Brook 15 lbs. wide course S.E.  
 40.00 Set temp.  $\frac{1}{4}$  sec. post  
 42.70 a Brook 16 lbs. wide course S.E.  
 45.10 a Do. 10 " " " South  
 80 93 Fell 3.42 lbs. North of post corner to sections No.  
 1 & 2. This mile hilly & poor State. Timber  
 Oak, Maple, Beech, Hickory &c.

West Corrected line between Sec. No. 1 & 2  
 Set  $\frac{1}{4}$  sec. post at average distance where an  
 Elm 6 ins. dia. bears N 27 E 7 lbs. dist. And a  
 Walnut 14 ins. dia. bears S 70 E 8 lbs. dist.  
 Continued on true line & fell 100 lbs. North of  
 Temp. post. moved it to the centre corner of Sec.  
 No. 1. 2. 1 & 2 where an Ash 18 ins. dia. bears  
 S 25 W 22 lbs. dist. & a Hickory 6 ins. dia. bears  
 N 29 E 8 lbs. dist.

North Then traveled North between Sec. No. 1 and 2  
 and moved the  $\frac{1}{4}$  sec. post to the average distance  
 where a Black Locust 13 ins. dia. bears S 52 E  
 27 lbs. dist. & a White Oak 14 ins. dia. bears,  
 N 86 W 53 lbs. dist—

South Then South between Sec. No. 2 & 1 and moved  
 the  $\frac{1}{4}$  sec. post to average distance where a Sugar  
 7 ins. dia. bears N 73 W 14 lbs. dist. & an Elm  
 6 " " " S 55 E 17 lbs. dist—

West Thence West from centre post on true line  
 & set  $\frac{1}{4}$  sec. post at average distance where a  
 Sugar tree 3 ins. dia. bears S 19 E 7 lbs. dist. &  
 a Do Do 6 ins. dia. bears N 7 W 16 lbs. dist  
 Continued the line to the post corner of sections

T. 3. R. 2. W. 1<sup>st</sup> Mer.

No. 2, 3, 10 and 11 — Tuesday July 4<sup>th</sup> 1805  
Surveyed by

G. J.

I certify that the foregoing Transcript of  
the Field notes of Township No. 3 Range No. 2  
West of the 1<sup>st</sup> Mer. has been compared with the  
original in this office and found to be correct.  
Surveyor General's Office,  
Cincinnati, Feb<sup>y</sup> 8. 1841.

*W. D. Lewis*  
*Aug 20*